

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

The Fe confide must be	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper On water bills Other
	Date customers were informed: 6 / 10 / 11
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed: / /
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Boliva Commercial Date Published: 4/0/11
	CCR was posted in public places. (Attach list of locations) Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
	FICATION
Departm	certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State water Supply.
1 vame/ 1	Dute
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518
	402 070 7010

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

Equal Opportunity In Employment/Service

2010 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 May 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this valued customers to be informed at at	report or concerning your water utility, please contact Mike Tarver at 662.588.7061. We want our out their water utility. If you want to learn more, please attend a special meeting being held on at the
water contaminants that were detect required in 2010, the table reflects naturally occurring minerals and, in sof animals or from human activity; m septic systems, agricultural livestock occurring or result from urban storn farming; pesticides and herbicides, residential uses; organic chemical occurring or be the result of prescribes regulations that limit the including bottled drinking water, may	in your drinking water according to Federal and State laws. This table below lists all of the drinking ed during the period of January 1 st to December 31 st , 2010. In cases where monitoring wasn't the most recent results. As water travels over the surface of land or underground, it dissolves ome cases, radioactive materials and can pick up substances or contaminants from the presence crobial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally awater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or which may come from a variety of sources such as agriculture, urban storm-water runoff, and ntaminants, including synthetic and volatile organic chemicals, which are by-products of industrial and can also come from gas stations and septic systems; radioactive contaminants, which can be oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA amount of certain contaminants in water provided by public water systems. All drinking water, be reasonably expected to contain at least small amounts of some constituents. It's important to constituents does not necessarily indicate that the water poses a health risk.
In this table you will find many terms	and abbreviations you might not be familiar with. To help you bottor understand those terms welve

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

 ${\it Maximum~Residual~Disinfectant~Level~(MRDL)}$ – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	0060044			TEST RESUL	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

Inorganic										
10. Barium	N	2008*	.002	No Range		ppm		2	2	 Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0		ppm		1.3	AL=1.3	B Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.266	.256266		ppm		4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	3	0		ppb		0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.692	No Range		ppb		50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfectio	n By-P	roduct	S							
81. HAA5	N	2008*	7	No Range	ppb		0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2008*	5	1.06 – 8.61	ppb		0		80	By-product of drinking water chlorination.
Chlorine	N	2010	.49	.4954	ppm		0	MDF		Water additive used to control microbes
PWS ID # (006004 Violatio		Lev ed Defec		tects or ples	TS Unit Measure -ment	MCI	LG	MCL	Likely Source of Contamination
Inorganic (1					!		
10. Barium	N	2008*	.002	No Range		ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.7	0		ppm		1.3	AL=1.3	systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.283	No Range		ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	l N	2008*	12	10		nnh		_	AI -15	Correcion of household plumbing

Disinfection By-Products

N

N

2008*

2008*

12

1.4

0

No Range

17. Lead

21. Selenium

82. TTHM [Total trihalomethanes]	N	2008*	2.03	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2010	.45	.4551	ppm	0	MDRL = 4	Water additive used to control microbes

ppb

ppb

0

50

AL=15

deposits

Corrosion of household plumbing systems, erosion of natural

Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines

PWS ID#	0060050	0		TEST RES	SULTS	S			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Samples Exceeding MCL/ACL	s Me	Jnit asure nent	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants							
10. Barium	N	2008*	.002	No Range	ppr	n	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.7	0	ppn	n	1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.288	.282288	ppn	n	4		4 Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2008*	4	0	ppb)	0	AL=1	 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.1	No Range	ppb		50	5	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	n By-Pr	oducts							
81. HAA5		2008*	1 6	No Range	ppb		0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N :	2008*	1.91	No Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N :	2010 .	42 .	4250	ppm		0 MD	RL = 4	Water additive used to control microbes

PWS ID#	006005	1		TEST RES	SULI	ΓS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Samples Exceeding MCL/ACL	s N	Unit leasure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants							
10. Barium	N	2008*	.006	No Range	р	pm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009*	.5	0	p	pm	1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.32	.2832	p	pm	4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009*	7	0	p	pb	0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	1.3	1.1 – 1.3	р	pb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-Pr	oducts							
82. TTHM [Total trihalomethanes]			1.87 N	lo Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N :	2010 .	46 .4	1652	ppm		0 ME)RL = 4	Water additive used to control microbes

* Most recent sample. No sample required for 2010.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Boyle Skene Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2010 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 May 2011

Wile proced to precent to your this year's Annual Questy Water Report This report to designed to inform you about the quality water and destricts we deliver to you every day. Our constant you is to provide you with a safe sort dependance supply or districting maker. We went you to understand the efforts we make to continually improve the whater the about the quality of your construction of your process and product due water resources. We are committed to the making the quality of your water. Our water sources is from water treatment grown the Sports Sand Frametain April proper the whater.

The source water accessments he been completed for on public water system to elemente the mental association of this distribution years supply to (Destribution Security of Completed Security of Comp

if you have any questions about this report or concerning your water utility, please contact Mike Torver at 682,588,7051. We want our valued customers to be informed about their water utility.

the received y market for constitutions in your deficiency water according to Federal and Date laws. This last better than the federal desired year product of access yet in the December Last, 2018 of 10 to least whether monthing the last selected in the product and constitutions of the december of the product of access yet in the December Last selected in 2019, the based selected and reconstruction of the received contributions of the observation of the contributions of the december of the production of the contributions of the

to this take you will find many terms and observations you might not be familiar with. To help you better understand these terms we've provided the following definition above. The concentration of a consuminate projet is in the concentration of a consuminate projet if provedied tripodes produced on other requirements which a water system must follow.

Maximum Contaminant Level - (MCL)The highest level of a contaminant that is abouted in dricking water MCLs are set as close to the MCL is a feasible using the best available treatment contaminant.

Maximum Continuinant Level Deal - (V.C.G) The level of a contaminant in electivity vactor below which there is no forcing of expected risk to health MACLGs allow for a murgin of solely.

Maximum Exercised Destriction Level DMRDL - The highest level of a distriction at distriction which there is convening evidence that addition of a distriction is necessary for the solely additional and distriction of a distriction of a distriction of a distriction at level and additional and distriction of a di

Markeyan Register Desintectant Level Goal (MRDLG). The level of a diriving water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the Earth are no individual to control manifest control markets and are not reflected as a control market and are not reflected as a control ma

Parts per raitition (span) or Militigrams per litter (mg/li) - One part per milition corresponds to one minute in two years of a single pentry in \$10,000. Parts per triffich (epth) or Micrograms per titter - One part per billion corresponds to one minute in 2,000 years, or a single pentry in \$10,000,000.

PWS ID#	0060044	£	1,500	TEST RESU	LTS			Control of March 1974
Contaminant	Violation	Date Collected	Lovel Detected	Range of Datects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants		a salah sa		V		
ю. Валып	N	2006	.002	No Ronge	ppm	2		Discharge of drilling wastes; discharge from metal refineries; eropion of natural deposits
14. Copper	N	2008*	3	0	ppm	1.3	AL-1	 Corresion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
is Puorife	N	2008	.266	.256266	ppm	1		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer an- eluminum factories.
17. Lead	N	2008*	3	0	ppb	۰	AL>1	
21. Scientum	N	200a*	.692	No Range	ppb	50	- 5	Discharge from petroleum and metal refineries; eroaion of nature deposits; discharge from tulnes.
rt. POAS 2. TTRK Total Biolomethianos]		2005 7		o Rungu ppb 06 8.01 ppb		0	60 80	By-Product of drinking water distribution. By-product of drinking water chlorington.
Stational	N :	2010 4	9 4	9-54 ppn	180	O WE	RI, #4	Water additive used to control microbes
PWS ID#	Violation Y/N	Date Collected	Lovel Detected	Raige of Detects or # of Samples Exceeding MCL/ACL	LTS Unit Measura ment	MCLG	MCL	Likely Source of Contumination
morganic (Contain	inants						
D. Barian	N	2008*	.002	No Range	ppm	2	Asset.	Discharge of drilling wastes; discharge from metal refineries; erealon of natural deposits
4. Copper	N K	S0C8.	.7	• • • • • • • • • • • • • • • • • • • •	Hem	1.3	AL#1	systems; crosion of natural deposits; leaching from wood preservatives
6. Fluorida	Pr .	5008.	.283	No Renga	PRO		3.9	 Erosion of natural deposits; water additive which promotes strong teeth; discharge from furtifizer and aluminum factories
7. Lead	N	2008	12	0	ppb	0	AL=1	 Corresion of household plumbing systems, erosion of resures deposits
				No Penno	DOD	50	- 5	Discharge from petroteum and

10. Fluoridity	WS ID # 0060050 TEST RESULTS Concerned Contamination Vy/You Code-red Contamination TEST RESULTS Corper N 2005 052 Ne Brange Develope of United Contamination of Contamination of Contamination Corper N 2005 7 0 0 Ne Brange Per
PWS ID # 0860050 TEST RESULTS Certainfluint Violation Date of Collected Project of Detects of Project of Collected Project of Colle	TEST RESULTS **Collected** **Proceedings** **Collected** **Page of Detected of Manage of Manage of Detected of Manage of Manage of Manage of Detected of Manage of M
Contaminant Visidation Date Date Desired Desired Paragre of Desired Paragres Desired	Visitation Date D
Contaminant Visibation Date of Contamination Contamination Inc. Contaminant S 10. Button 1 2006" 509 Ne Range pem 2 2 2 Contamination of Contamination of Contamination (Contamination of Contamination of Contamination of Contamination (Contamination of Contamination of Con	Visibilities Date
Procedure Proc	Bencenting Interest Bencenting Interest Bencenting Interest Int
To Barrow Page Pa	Electron N 2006 C93 No Range perm 2 2 2 Discharge of difficility wastes, considerable and difficility wastes, and the permitted of the perm
10. Butterin 14. 2006* 092 Ne Range Perm 2 2 2 Controllary existing vestion of relating hydrogen 14. Couper N 2006* 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Burkley 1
14. Cosper N 2006* J. 200 Pp 0 Pp 0 Pp 0 Pp 0 Pp 1 Pp 1 Pp 1 Pp	Georgee N 3005 7 0 0 Ppm 1.3 AL-1.3 AL-1.3 AL-1.5 Contained dependance of the contained of the contained dependance of the contained dependance of the contained dependance of the contained of the contained dependance of the contained dependance of the contained dependance of the contained dependance of the contained of the contained dependance of the contained dep
16. Fluendido 11 2000° 288 282 - 208 ppm 4 1 1 Electron of members deposite, lead-ing from word electron of the control of the	Phentido II 2009* 288 382 - 288 ppm 4 4 5 Extractor of notathed permitting desperate, bestime from wood operations, bestime from the south of the control of
17. Load N 2000" 4 0 0 pp0 0 0 A.15 21. Selement N 2000" 1.1 No Range peb 0 0 A.15 21. Selement N 2000" 1.1 No Range peb 0 0 0 A.15 21. Selement N 2000" 1.1 No Range peb 0 0 0 A.15 21. Selement N 2000" 1.1 No Range peb 0 0 0 Discharge transportation from factors of products of ministration from factors of personal persona	Condition N 2000* 4 0 PpD D A 15 Control of instruction and tempts, instruction and tempts a
21. Selentum N 2006* 1.1 No Range pub G G G Gordening of household planting particles of change	Sedemourn N 0000° 1.1 No Range Ppb 00 00 00 portroller of Pousanded planning disposition (Sedemourn N 1 0000° 1.1 No Range Ppb 00 00 00 portroller of Sedemourn of August 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
21. deforming II 2009" 1,1 No Rango pub 60 SD SD Classange from perceivant and applications on shared special	decinnum N 2006* 1.1 No Range peb 50 S0 S0 S0 Sections, section of natural sections of the section of the secti
Distriction By-Products 10.11AAA N 200° 0 No Rongo ppb 0 00 00 00 00 00 00	Sinfection By-Products IMAS N 2009" 0 No Frange ppb 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS N 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS 2009" 1.91 No Frange ppp 0 00 Department of defining water IMAS 2009" 1.91 No Frange ppp 0 0 00 Department of defining water IMAS 2009" 1.91 No Frange ppp 0 0 0 0 0 IMAS 2009" 1.91 No Frange ppp 0 0 0 0 0 IMAS 2009" 1.91 No Frange ppp 0 0 0 0 0 IMAS 2009" 1.91 No Frange ppp 0 0 0 0 0 0 IMAS 2009" 1.91 No Frange ppp 0 0 0 0 0 0 IMAS 2009" 1.91 No Frange ppp 0 0 0 0 0 0 IMAS 2009" 1.92 1.93 No Frange ppp 0 0 0 0 0 0 IMAS 2009" 1.92 1.93 No Frange ppp 0 0 0 0 0 0 IMAS 2009" 1.92 1.93 No Frange ppp 0 0 0 0 0 0 0 IMAS 2009" 1.92 No Frange ppp 0 0 0 0 0 0 0 0
THOSE TO 2009 0 No France pp pb 0 0 60 Day-product of directing water production of the product of directing water production of the production of	No. 1000 0 No Range ppb 0 0 Department of dishing water ppp 0 0 Department of dishing water ppp 0 Department of dishing water ppp Department De
25 THOM N 2000* 1.51 No Renge psp 0 0 0 Depredact of distings water	The composition of the compositi
TEST RESULTS TOURISH # 0060051 TEST RESULTS TEST RESULTS THOUGH # 0060051 THO	Administration 10 10 10 12 12 13 15 15 15 15 15 15 15
PWS XD # 0060051 TEST RESULTS Providenment Virtual Content of Date Content o	NS ID # 0060051 TEST RESULTS Internant Vividence Vi
PVS ID # 005005 TEST RESULTS Contaminant Visition Colored Districted Services of Living Colored Services of Contaminants In Gallon N 2006	VS TD # 0050051 TEST RESULTS Currently VoyCopy Output Contaminants Basedoning Description Resource of Contaminants Basedoning Resource of Contaminants Re
Description	International Vivide Tools of Date of Level Representation of Company of Devictors of Section Program of Company of Compa
And the properties of the prop	Laboration Lab
Biocurior Products	Description of Agriculture Science Contaminants Section No. 2006* 0.000 No. Faunge ppm 2 2 Discharge of disting wasses; exceptional contaminants 0.000 0.000 No. Faunge ppm 2 2 Discharge of disting wasses; exceptional contaminants 0.000
Condition N 2009 0.00 No Range ppm 2 2 2 Dischurge of dalling wester.	Organic Contaminants Balanim N 2000* dobb No Reimag perm 2 2 3 2 Declarage of delificing various and including from mutual principles. Despure N 2000* dobb No Reimag perm 2 3 A1.3 Correction of incustoding bismoning perm 1 3 A1.3 Correction of incustoding bismoning perm 1 3 A1.3 Correction of incustoding bismoning permitted in the control of incustoding bismoning permitted bi
9. Copposer N 5000° 5 0 PPP 13 A-13 Corrows of houseasded phindings of the Company of the Compan	Popper No. 2009: 3-2 20-32. Ppm: 3-3 AL-1-3 Correction of household planshing in the popular disposals. Section of household planshing in the popular disposals. Section of household planshing in the popular disposals. Section planshing disposals. Section planshing in the popular disposals disposals disposals disposals disposals
Filipinde IN 2009* 3.5 39 -32 39 99m 4 4 4 Evaluate a formation of professional physicists and professional physicists and professional physicists and phys	Fluended N 2009 35 28 32 30 9PM 4 4 5 Extended plunching deposits, clinique for the wood of th
G Filoconde N 2009* 32 89-32 ppm 4 1 Cartesian of Industrial of Management T, Lead II 2009* 7 0 0 ppm 4 1 Cartesian of Industrial of Management T, Lead II 2009* 7 0 0 ppm 4 1 Cartesian of Industrial of Management T, Lead II 2009* 7 0 0 ppm 4 1 Cartesian of Industrial Operation of Industrial Operation Seekly (Substance) Products T, Lead II 2009* 1 5 0 11 1 1 1 1 1 ppm 5 0 0 ppm 4 1 0 ppm 4 1 ppm 4 1 ppm 4 1 ppm 4 1 ppm 4 pp	Financials IV 2009: 38 , 28 - 38 ppm; 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
6 Filonoide N 5009° 32 49 -32 19 ppm 4 5 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	An execution by Products 14 2009 1 20 20 20 20 20 20 20 20 20 20 20 20 20
1. Signature 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	infracction By-Products The South State of the Sou
At Solument II 2006 1,3 1.1 - 1.3 ppb 50 50 50 Chick-targe from potential and and an account of the control of	Sinfection By-Products The 2008' 1.3 1.1-1.3 Pob 90 SQ Deprepared to Product SQ Description of natural single-product of control products and single-product SQ Description of natural single-product single-product SQ Description of natural si
Picinifection By-Products 2 Trial 2 Trial 2 Trial 2 Trial 2 Trial 3 Trial 2 Trial 3 Trial 2 Trial 3 Tr	Infecction By-Products Interaction By-Products Interaction Intera
Tribution 19 2 2009 1.57 No Flange ppt 0.0 MSR 1, 2009 1.57 No Flange ppt 1.0 MSR 1, 2009 1.0 MSR 1, 2009 1.57 No Flange ppt 1.0 MSR 1, 2009 1.57 No Flange	A 2010 1.46 40 52 psint 0 MSRTLL - 1 With Recognition Popular Popula
Technological part of the property of the prop	The contraction of the contracti
Indication N 2010 48 46 - 52 5em D MSRL + 4 Vector includes used to control microbiolism used to microbiolism used to microbiolism used to control microbiolism used to microbiolism	As 2610 A40 A50 SP PROPRIES AND ASSESSED AS A SECRETARY AND ASSESSED AS A SECRETARY AS A SECRETARY ASSESSED AS A SECRETARY AS
received sergicis. As a compare required for 2010. The consequence of	As assigned, no Sample reproducted for 2010. See type to below, one experimental or violations with a proof that your defining water marks or increase an Experiment and violations with the proof that your defining water marks of an excess an Experiment and State recodements. We have formed through our models come conscipulation bears of the confidence
recover to monitor you divising a substant for specific constitutions on a monthly status. Thesis of regular monitoring per entire first and the specific constitution of the specific constit	viewed to monthly upour despisation what the securities coordinates on an enterphilip place. A many and yet of despisation monthlying the present in the individual control was a final despisation monthlying the present in the individual control was a control or present in the individual control or present in monthlying the present in the individual control or present in monthlying the present in the individual control or present in monthlying the present in the individual control or present in the individual control or present in monthlying the present in the individual control or present in monthlying present in monthlying the present in the individual control or pres
y Words forming at 1-809-424-479. Yourse forming at 1-809-424-479, The second of the	

STATE OF MISSISSIPPI, COUNTY OF BOLIVAR. Personally appeared before me, the undersigned authority in and for the County of Bolivar, State of Mississippi, MARK S. WILLIAMS, Publisher of THE BOLIVAR COMMERCIAL, daily newspaper and published in the City of Cleveland, in said Country and State who, on oath, deposes and says that The Bolivar Commercial is a newspaper as defined and prescribed in Sonate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1938 of the Miss. Code of 1942, and that the publication of which the instrument annexed is a true copy, was published in said paper, to wit: In Volume 95 No. 94 Dated June 10 In Volume _____ No. ____ Dated _ In Volume _ _ Dated In Volume ____ No. __ __ Dated 20 _ In Volume __ No. Dated 20 _ Dated _ _ 20 _ and that said newspaper "has been established for at least twelve months next prior first publication" of this notice. My Commission expires _